

experience

function

quality

style

technology



anti-ligature brochure





Safe-Assist® ANTI-LIGATURE GRAB RAILS

Bars for High Risk Applications

Specially designed 38 mm Anti-Ligature grab rails with barrier fabricated from 304 Stainless steel for use in WC's and other accessible areas to mitigate the possibility of self-harm by patients in psychiatric clinics, hospitals and detention facilities.

Generally meets the requirements of AS 1428.1-2009.



	Code	Finish	Features	
VERTICAL ANTI-LIGATURE GRAB RAILS				
	AL 450 SS VL	Satin Supreme™	<p>The anti-ligature barrier on the 38 mm vertical grab rail is a 2.5 mm grade 304 stainless steel plate which is centered 55 mm from back of rail to wall and continuously welded from flange to flange, giving improved access and grip ability on the grab rail.</p> <p>Manufactured with exposed flanges.</p>	
	AL 600 SS VL	Satin Supreme™	<p>Tamperproof stainless steel 14# x 1½" POST TORX screws supplied.</p> <p>All measurements Ø to Ø of grab rail.</p>	
	AL 900 SS VL	Satin Supreme™		
	AL 1200 SS VL	Satin Supreme™		
			<p>SECTION VIEW</p> Security hex socket	
HORIZONTAL ANTI-LIGATURE GRAB RAILS				
<p>Drawn LH (Left Hand)</p>	AL 450 SS HZ LH	Satin Supreme™	<p>The anti-ligature barrier on the 38 mm horizontal grab rail is a 2.5 mm grade 304 stainless steel square section which is centered 74 mm from the underpart of the rail to wall and continuously welded from end to end giving a 55 mm access and grip ability on the grab rail.</p>	
	AL 450 SS HZ RH	Satin Supreme™		
				<p>Horizontal anti-ligature grab rails incorporate a unique open end trough design to assist with cleaning. Configuration (LH or RH) of the horizontal grab rail is determined by the open end position.</p>
	AL 600 SS HZ LH	Satin Supreme™		
	AL 600 SS HZ RH	Satin Supreme™		
				<p>Tamperproof stainless steel 14# x 1½" POST TORX screws supplied.</p> <p>All measurements Ø to Ø of grab rail.</p>
	AL 900 SS HZ LH	Satin Supreme™		
	AL 900 SS HZ RH	Satin Supreme™		
				<p>SECTION VIEW</p> Security hex socket
	AL 1200 SS HZ LH	Satin Supreme™		
AL 1200 SS HZ RH	Satin Supreme™			



SAFE-ASSIST® ANTI-LIGATURE GRAB RAILS

Specially designed 38 mm toilet assist Anti-Ligature grab rails with combined vertical and horizontal barriers, fabricated from 304 Stainless steel for use in WC's with concealed or exposed cisterns to mitigate the possibility of self-harm by patients in psychiatric clinics, hospitals and detention facilities.

Generally meets the requirements of AS 1428.1-2009.



	Code	Finish	Features
90° ANTI-LIGATURE TOILET ASSIST GRAB RAILS			
Please specify left or right hand			
LH (Left Hand) RH (Right Hand)	AL 454 SS LH	Satin Supreme™	450 mm x 450 mm, 38 mm anti-ligature grade 304 stainless steel toilet assist grab rail with 30 mm combined underpart horizontal square section and 2.5 mm centered back plate both continuously welded to rail, giving a 55 mm access and grip ability on the grab rail. Manufactured with exposed flange. All measurements Ø to Ø of grab rail. Toilet assist anti-ligature grab rails incorporate a unique open end trough design to assist with cleaning. Tamperproof stainless steel 14# x 1½" POST TORX screws supplied.
	AL 454 SS RH	Satin Supreme™	
For ambulant disabilities			Security hex socket
90° ANTI-LIGATURE TOILET ASSIST GRAB RAILS			
Please specify left or right or middle fix			
LH (Left Hand) RH (Right Hand)	AL 966 SS LH	Satin Supreme™	960 mm x 600 mm, 38 mm anti-ligature grade 304 stainless steel toilet assist grab rail with 30 mm combined underpart horizontal square section and 2.5 mm centered back plate both continuously welded to rail, giving a 55 mm access and grip ability on the grab rail. Manufactured with exposed flange. All measurements Ø to Ø of grab rail. Toilet assist anti-ligature grab rails incorporate a unique open end trough design to assist with cleaning. Tamperproof stainless steel 14# x 1½" POST TORX screws supplied.
	AL 966 SS RH	Satin Supreme™	
For ambulant disabilities			Security hex socket
ANTI-LIGATURE SHOWER KIT 9			
	AH 01809 C	Chrome 1.5 m hose and handpiece	Applying a force of 10 kg or more to the installed shower kit will trigger the release mechanism of the hose from the elbow and disengage the load sensitive handset cradle from the grab rail, thereby mitigating the possibility of self-harm. Anti-Ligature Shower Kit includes: <ul style="list-style-type: none"> • 900 mm vertical anti-ligature grab rail • Acetal 38 mm load sensitive handset cradle for shower support and height adjustment • ABS single function shower with rub-clean spray diffusor • PVC 1500 mm Silverflex® hose with ½" BSP swivel conical end nut • DR brass anti-ligature wall outlet elbow featuring force release mechanism • White handset cradle with chrome plated handpiece, elbow and PVC hose • Full pattern spray



Protecting the world's most valuable liquid asset... water!

Our Promise

Con-Serv Corporation Australia Pty Ltd warrants all of its products with a Limited Lifetime Warranty on all mechanical parts from manufacturing defects in materials and workmanship under normal use in a domestic installation for as long as the original purchaser owns their home into which the particular product(s) was/were installed. A five-year warranty will apply to commercial installations, irrespective of ownership. Con-Serv will repair or replace defective items correctly installed as per the Con-Serv installation instructions. Con-Serv will not be liable for defects arising through normal wear and tear. Item(s) must be returned with proof of purchase to Con-Serv at 17 Glentanna Street, Kedron, Queensland 4031. We will attend to your warranty claim after we make appropriate investigations. Contact our Service Manager during normal office hours on 1300 467 322 or at our email address of warranty@con-serv.com.au. If a warranty claim is accepted, Con-Serv will bear the reasonable costs of the return of the defective item(s) to us. A claim for expenses associated with making a claim for a defective product must be in writing and submitted to us with copies of supporting documents. The benefits given under our warranty are in addition to other rights and remedies of the customer under a law in relation to goods and services to which this warranty relates. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or a refund for a major failure and compensation for any other reasonable, foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Visit the Con-Serv website www.con-serv.com.au for the detailed warranty policy.

CON-SERV CORPORATION AUSTRALIA PTY. LTD.
17 Glentanna Street, Kedron Brisbane QLD. 4031 Australia
Phone: +61 (0)7 3630 5744 · Fax: +61 (7) 3630 5755
Email: mail@con-serv.com.au · www.con-serv.com.au