


Anti-Ligature solutions





- AL 450 SS VL** - Anti-Ligature Vertical Grab Rail 450mm
- AL 600 SS VL** - Anti-Ligature Vertical Grab Rail 600mm
- AL 900 SS VL** - Anti-Ligature Vertical Grab Rail 900mm
- AL 1200 SS VL** - Anti-Ligature Vertical Grab Rail 1200mm

All measurements above are Ø to Ø
Satin Supreme™ finish

Anti-Ligature grab rails

Specially designed 38 mm Anti-Ligature grab rails with barrier fabricated from 304 Stainless steel for use in bathrooms and other accessible areas to mitigate the possibility of self-harm by patients in psychiatric clinics, hospitals and detention facilities.

Our fixed Anti-Ligature grab rails incorporate a 2.5mm grade 304 stainless steel plate centred 55mm from the back of the rail to wall and continuously welded from flange to flange enabling secure access and grip. Tamperproof POST TORX screws with security hex sockets fix our grab rails in place for a safe and secure installation.

All Con-Serv Anti-Ligature grab rails comply with clause 17 of AS 1428.1-2009 for Design and Construction.



Security hex socket



- AL 450 SS HZ LH** - Anti-Ligature Horizontal Grab Rail 450mm
- AL 600 SS HZ LH** - Anti-Ligature Horizontal Grab Rail 600mm
- AL 900 SS HZ LH** - Anti-Ligature Horizontal Grab Rail 900mm
- AL 1200 SS HZ LH** - Anti-Ligature Horizontal Grab Rail 1200mm
- AL 450 SS HZ RH** - Anti-Ligature Horizontal Grab Rail 450mm
- AL 600 SS HZ RH** - Anti-Ligature Horizontal Grab Rail 600mm
- AL 900 SS HZ RH** - Anti-Ligature Horizontal Grab Rail 900mm
- AL 1200 SS HZ RH** - Anti-Ligature Horizontal Grab Rail 1200mm

Available in left or right hand configurations

Satin Supreme™ finish

Left hand model shown



- AL 454 SS LH** - Anti-Ligature Toilet Assist Grab Rail 450mm x 450mm
- AL 454 SS RH** - Anti-Ligature Toilet Assist Grab Rail 450mm x 450mm

Available in left or right hand configurations

Satin Supreme™ finish

Left hand model shown



- AL 966 SS LH** - Anti-Ligature Toilet Assist Grab Rail 960mm x 600mm
- AL 966 SS RH** - Anti-Ligature Toilet Assist Grab Rail 960mm x 600mm

Available in left or right hand configurations

Satin Supreme™ finish

Left hand model shown

Anti-Ligature showering kit

Applying a force of 10kg or more to the installed shower kit will trigger the release mechanism of the hose from the elbow and disengage the load sensitive handset cradle from the grab rail, thereby mitigating the possibility of self-harm.

Anti-Ligature shower kit includes:

- 900 mm vertical anti-ligature grab rail
- Acetal 38mm load sensitive handset cradle for shower support and height adjustment
- ABS single function shower with rub-clean spray diffusor
- PVC 1500mm Silverflex® hose with ½" BSP swivel conical end nut
- DR brass anti-ligature wall outlet elbow featuring force release mechanism
- White handset cradle with chrome plated handpiece, elbow and PVC hose
- Full pattern spray


All Con-Serv showers are 3 Star - 9 L/min rated as per WELS licence number 0046.



Load Sensitive Handset Cradle

Elbow with Force Release Mechanism

AL 01809 C - Anti-Ligature Shower Kit 9




Anti-Ligature shower

Ideal for detention centres, hospitals and high-risk institutions, the Cobra fixed shower head provides an anti-ligature showering option that is also vandal and tamper proof. This heavy-duty fixed shower head designed with a 17° angle is free from ligature points and attached with grub screws for a safe and tamper proof installation.

All Con-Serv showers are 3 Star - 9 L/min rated as per WELS licence number 0046.



CS 007 C - Cobra Shower Head Chrome finish





Protecting the world's most valuable liquid asset... water!

Our Promise

Con-Serv Corporation Australia Pty Ltd warrants all of its products with a Limited Lifetime Warranty on all mechanical parts from manufacturing defects in materials and workmanship under normal use in a domestic installation for as long as the original purchaser owns their home into which the particular product(s) was/were installed. A five-year warranty will apply to commercial installations, irrespective of ownership. Con-Serv will repair or replace defective items correctly installed as per the Con-Serv installation instructions. Con-Serv will not be liable for defects arising through normal wear and tear. Item(s) must be returned with proof of purchase to Con-Serv at 17 Glentanna Street, Kedron, Queensland 4031. We will attend to your warranty claim after we make appropriate investigations. Contact our Service Manager during normal office hours on 1300 467 322 or at our email address of warranty@con-serv.com.au. If a warranty claim is accepted, Con-Serv will bear the reasonable costs of the return of the defective item(s) to us. A claim for expenses associated with making a claim for a defective product must be in writing and submitted to us with copies of supporting documents. The benefits given under our warranty are in addition to other rights and remedies of the customer under a law in relation to goods and services to which this warranty relates. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or a refund for a major failure and compensation for any other reasonable, foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Visit the Con-Serv website www.con-serv.com.au for the detailed warranty policy.

CON-SERV CORPORATION AUSTRALIA PTY. LTD.
17 Glentanna Street, Kedron Brisbane QLD. 4031 Australia
Phone: +61 (0)7 3630 5744 · Fax: +61 (7) 3630 5755
Email: mail@con-serv.com.au · www.con-serv.com.au