

The Con-Serv Difference




Hygienic Seal® Range



Biomaster antimicrobial seals for added protection against bacteria

Hygienic Seal® grab rails are Con-Serv's recommended flange option. The Hygienic Seal® mounting system includes a Biomaster Antimicrobial Thermoplastic Elastomer (TPE) seal that when installed correctly, prevents grime such as soap scum, body fluids, ointments and other aqueous based fluids accumulating behind the grab rail flange covers.

Hygienic Seal® grab rails are assembled with a 50mm, 3 part machined brass screw-on flange cover with a 5° radius to comply with section 14 of AS 1428.1:2021 for Design and Construction.



HS 800 PS

800mm Hygienic Seal® Grab Rail
Polish Supreme™



Hygienic Seal® Straight Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 14 of AS 1428.1:2021 for Design and Construction
- Available in lengths ranging from 200mm to 1000mm

Optional finishes



HT 800 PS U

800mm "U" Hygienic Seal®
Grab Rail with Towel Rail
Polish Supreme™



Hygienic Seal® Grab Rail with Towel Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 14 of AS 1428.1:2021 for Design and Construction
- Available in lengths ranging from 600mm to 800mm

Optional finishes



HS 454 PS LH

450mm x 450mm Hygienic Seal® Ambulant Toilet Assist Grab Rail
Polish Supreme™ - Left Hand



Hygienic Seal® Ambulant Toilet Assist Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 13 of AS 1428.1:2021 for People with Ambulant Disabilities
- Right or left hand configurations available

Optional finishes



HS 966 PS LH

960mm x 600mm Hygienic Seal® Toilet Assist Grab Rail
Polish Supreme™ - Left Hand



Hygienic Seal® Toilet Assist Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- Right or left hand configurations available
- **Suitable for Accessible applications**

Optional finishes





HS 300 PS RHS / HS 300 PS LHS
300mm or 450mm Hygienic Seal®
Grab Rail with Toilet Roll Holder
Polish Supreme™ - Left Hand
and Right options



Hygienic Seal® Grab Rail with Toilet Roll Holder

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 14 of AS 1428.1:2021 for Design and Construction
- Right or left hand configurations available
- Available in lengths ranging from 300mm to 450mm

Optional finishes



HS 071 PS
700mm x 1100mm Inverted "T"
Hygienic Seal® Shower Recess Grab Rail
Polish Supreme™



Hygienic Seal® Shower Recess Adjustable Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Dimensions comply with section 12 of AS 1428.1:2021
- Adjustable vertical rail can be positioned left, middle or right hand side
- **Suitable for Accessible applications**

Optional finishes




HF 900J C
Premium Healthcare Shower
with Streamjet™ hand piece
Chrome



Premium Healthcare Shower with 900mm Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Brass friction slide cradle for handset support and height adjustment
- Dimensions comply with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- Licenced dual check/non-return valve
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046
- **Suitable for Accessible applications**

Optional finishes



HF 071J C
Premium Healthcare Shower
with Streamjet™ hand piece
Chrome



Premium Healthcare Shower with 1100mm x 700mm Adjustable inverted "T" Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Brass friction slide cradle for handset support and height adjustment
- Dimensions comply with section 12 of AS 1428.1:2021
- Licenced dual check/non-return valve
- Adjustable vertical rail can be positioned left, middle or right hand side
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046
- **Suitable for Accessible applications**

Optional finishes




Linear Range



Biomaster antimicrobial seals for added protection against bacteria

The Linear collection is our premium grab rail range combining the quality of our Hygienic Seal® technology with the classic style of a 'T' leg linear flange. Fabricated from 32mm grade 304 stainless steel, Linear grab rails are available in a range of lengths and sizes to suit a variety of applications including our exclusive Linear Twin Waters™ shower range.

Designed to offer both style and sophistication while meeting strict Australian standards, all Linear grab rails comply with section 14 of AS 1428.1:2021 for Design and Construction.



- A Flange cover
- B Biomaster Antimicrobial Thermoplastic Elastomer (TPE) Seal
- C Locking nut
- D Locking pin
- E Wall mount plate

A B C D E

LR 600 PS
600mm Linear Grab Rail
Polish Supreme™



Linear Straight Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 14 of AS 1428.1:2021 for Design and Construction
- Available in lengths ranging from 200mm to 1000mm

Optional finishes



LT 600 PS D
600mm "D" Linear Grab Rail with Towel Rail
Polish Supreme™



Linear Grab Rail with Towel Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Available in lengths ranging from 600mm to 800mm

Optional finishes




LR 454 PS LH
450mm x 450mm Linear Ambulant Toilet Assist Grab Rail
Polish Supreme™ - Left Hand



Linear Ambulant Toilet Assist Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 13 of AS 1428.1:2021 for People with Ambulant Disabilities
- Right or left hand configurations available

Optional finishes



LR 966 PS LH
960mm x 600mm Linear Toilet Assist Grab Rail
Polish Supreme™ - Left Hand



Linear Toilet Assist Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- Right or left hand configurations available
- Suitable for Accessible applications

Optional finishes





LF 900J C
Linear Shower with Streamjet™ hand piece
Chrome



Linear Healthcare Shower with 900mm Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Dimensions comply with section 12 of AS 1428.1:2021
- Licenced dual check/non-return valve
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046
- **Suitable for Accessible applications**

Optional finishes



LF 079J C
Linear Shower with Streamjet™ hand piece
Chrome



Linear Healthcare Shower with 1100mm x 700mm inverted "T" Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Licenced dual check/non-return valve
- Right Hand, Left Hand or Middle Fixed configurations available
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046
- **Suitable for Accessible applications**

Optional finishes



LT 111CJ C 45
Cosmic Linear Twin Waters™
with Streamjet™ Turbo hand piece
1100mm Top Inlet - Chrome



Linear Twin Waters™ Shower

- Grade 304 (18/8) stainless steel 1100mm Ø to Ø 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Brass friction slide cradle for handset support and height adjustment
- PVC 1500mm Silverflex™ hose with ½" BSP swivel conical end nut
- Dimensions comply with section 12 of AS 1428.1:2021
- Licenced dual check/non-return valve
- Stainless steel 400mm or 600mm swivel arm
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046

Optional finishes



LT 071CJ C L65
Cosmic Linear Twin Waters™
with Streamjet™ hand piece
Chrome - Left Hand



Linear Twin Waters™ Shower

- Grade 304 (18/8) stainless steel 1100mm x 700mm Ø to Ø 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Brass friction slide cradle for handset support and height adjustment
- PVC 1500mm Silverflex™ hose with ½" BSP swivel conical end nut
- Dimensions comply with section 12 of AS 1428.1:2021
- Licenced dual check/non-return valve
- Right Hand, Left Hand or Middle Fixed configurations available
- Optional hand showers include: Princess, Breeze, Streamjet™, Streamjet™ XL or Streamjet™ Turbo
- Available in 3 Star 9L/m or 4 Star 6.5L/m as per WELS licence no. 0046

Optional finishes



Safe-Assist® Range



BR 400 PS HS
Hygienic Seal® Toilet Back Rest
Polish Supreme™



BR 440 PS HS
Hygienic Seal® Toilet Back Rest with extension
Polish Supreme™

Hygienic Seal® Wall Mounted Backrest

- Grade 304 (18/8) stainless steel 32mm rail
- Hygienic Seal® 50mm brass screw on flange covers with Biomaster Antimicrobial Thermoplastic Elastomer (TPE) fitted seals
- Complies with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- Combine with Hideaway™ Grab Rail Removal System to satisfy AS 1428.1:2021 requirements for the removal and refitting of grab rails in AS 1428.1:2021 sole occupancy applications
- **Suitable for Accessible applications**

Optional finishes



TL 850 PS RH
850mm Tiltlock® Grab Rail
Polish Supreme™ - Right Hand



Safe-Assist® Tiltlock® Folding Grab Rail

- Grade 304 (18/8) stainless steel 32mm rail
- Locks in both vertical and horizontal positions
- Tested by ANTL to 230kg (Test report 4197.12-22.07.2013)
- Right or left hand configurations available
- Optional extras available include: Toilet Roll Holder and Nurse Call Mount Box

Optional finishes




SS 964 PS
Folding Shower Seat - Accessible Suites
Brushed Stainless



Safe-Assist® Folding Shower Seat

- 960mm x 400mm shower seat
- Tension grip hinge for horizontal and vertical movement
- Polar White HDPE seat deck with drain channels
- Maximum load 250kg
- Complies with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- **Suitable for Accessible applications**

Optional finishes



SS 964 BS WM
Folding Shower Seat - Wheelchair Transfer
Brushed Stainless



Safe-Assist® Wheelchair Transfer Folding Shower Seat

- 960mm x 400mm shower seat
- Most suitable for convenient transfer between wheelchair and shower seat
- Heavy duty tension grip hinge brackets
- Polar White HDPE seat deck with drain channels
- Maximum load 250kg
- Complies with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- **Suitable for Accessible applications**

Optional finishes



Safe-Assist® Bariatric Range

BG 700 PS

700mm Bariatric Grab Rail
Polish Supreme™



Bariatric Straight Grab Rail


- Engineered 32mm grab rail reinforced for bariatric applications
- Tested by QTL to 400kg
- Grade 304 (18/8) stainless steel with 3.0mm thickness
- Complies with section 14 of AS 1428.1:2021 for Design and Construction
- Available in lengths ranging from 300mm to 900mm

Optional finishes



BG 071 PS LH

700mm x 1100mm Bariatric
Inverted "T" Shower Recess Grab Rail
Polish Supreme™ - Left Hand



Bariatric Shower Recess Grab Rail

- Engineered 32mm grab rail reinforced for bariatric applications
- Tested by QTL to 400kg
- Grade 304 (18/8) stainless steel with 3.0mm thickness
- Dimensions comply with section 12 of AS 1428.1:2021 for Accessible Sanitary Facilities
- Right, Left or Middle Fix configurations available
- Available in a variety of lengths and sizes
- **Suitable for Accessible applications**

Optional finishes



TL 850 PS LHBL

850mm Tiltlock® Bariatric with Folding Leg
Brushed Stainless - Left Hand



Tiltlock® Bariatric with Folding Leg

- Reinforced for bariatric requirements
- Tested by ANTL (test report 4699.11-12/12/2017) to 400kg
- Grade 304 (18/8) stainless steel 32mm rail
- Locks in vertical and horizontal positions
- Chrome plated brass push-button release, base housing, and concealed "T" mount bracket
- Right or left hand configurations available

Optional finishes



SS 965 BS

Folding Shower Seat - Bariatric
Brushed Stainless



Bariatric Folding Shower Seat

- 960mm x 500mm shower seat with additional centre support
- Tested by QTL to 400kg (test report 2037809349 24/04/2020)
- Grade 304 (18/8) stainless steel 32mm rail
- Tension grip hinge for horizontal and vertical movement
- Polar White HDPE seat deck with drain channels
- Maximum load 400kg

Optional finishes





Scan to view our warranty